

IN DEVELOPING THE NEW ACCORD, WE CONSIDERED THE ROAD...

AND EVERYTHING BEYOND IT.













IT'S LIKE NO ACCORD WE'VE EVER BUILT. Does it work? Yes. Can it work better? Let's find out. From

IT'S LIKE EVERY ACCORD WE'VE EVER BUILT. the placement of the fuel tank to the design of the spark plugs, every part was scrutinized. All for one purpose: to make your driving experience the best it can be.



As the saying goes, the more things change, the more they stay the same. Exhibit A: the Accord's distinctive feel. Much of it springs from the vehicle's front double wishbone and rear multi-link suspension. Tuned, tweaked and modified to be even more responsive, it is the perfect embodiment of our core philosophy of continual improvement, even in those areas where we're already a leader. New features include variable gear ratio power steering for excellent high-speed stability and enhanced low-speed maneuverability. These are just a couple of the things that make the Honda Accord such a uniquely enjoyable car to drive.





For an extra helping of athletic ability, check out the Accord EX-L V-6 6-speed Coupe. Its short-throw shifter gives you pinpoint control over the vehicle's well-chosen gear ratios. 18-inch alloy wheels also complement its sporting potential.

Turn the key and you continue a dialogue that began 50 years ago. One in which the needs of our customers, as well as the environment, are heard and acted upon. So, what's our latest response? An Accord that is not only one of the most powerful vehicles in its class, but also meets the highest emissions rating achieved by any V-6 available.¹



IT STARTS WITH A COMMITMENT.

IT STARTS WITH A PROMISE.

IT STARTS WITH AN ENGINE.




ACCORD ENGINES HAVE LONG MADE HEARTS BEAT FASTER.


NOW THEY'LL MAKE YOUR MIND RACE, TOO.

Imagine an engine that not only exhilarates, but can also minimize fuel use and emissions? Accord offers three: a 2.4-liter i-VTEC* 4-cylinder with 177 hp, a 190-hp version, and a new 268-hp, 3.5-liter V-6. It's the only lineup that offers both 4-cylinder and V-6 Partial Zero-

Emission Vehicles (PZEV)! The Accord's new V-6 features the latest generation of Variable Cylinder Management™ (VCM*) technology. This system can activate and deactivate the engine's cylinders as needed to meet the demands of acceleration and maximize fuel efficiency.











ENTER

The Accord is designed to be an extremely engaging experience. Equip yours with the Honda Satellite-Linked Navigation System,³ and you'll command a vast knowledge of the contiguous U.S. It has a huge point-of-interest database,* including restaurant ratings and reviews from

Zagat Survey.⁸⁴ The system can be operated by voice commands or with the central interface dial, which also lets you work the audio system and climate control. And a new companion feature is the Bluetooth^{®5} HandsFreeLink, which works with Bluetooth⁶-compatible phones.









The Accord's onetouch power moonroof on EX models features a tilt function as well as an air diffuser that allows air to circulate inside the cabin.





Advanced Compatibility Engineering™ (ACE™) body structure disperses frontal crash energy over a wide area, helping keep it away from passengers. Accord even has energy-absorbing structures in the hood and front fenders to help minimize injuries to pedestrians.

BECAUSE AT SOME POINT, EVEN A LUXURY CAN BECOME A NECESSITY.





The Tire Pressure Monitoring System (TPMS) will notify the driver if air pressure is significantly low. It's a standard feature on every 2008 Accord model. The Vehicle Stability Assist™ (VSA®) system is standard on all Accords. During an understeer or oversteer condition, it can brake individual wheels and/or reduce engine power to help restore your intended course. Standard ABS will also help you maintain steering – even during


All five passengers benefit from 3-point seat belts. The front belts are equipped with pretensioners that automatically tighten in the event of a moderate-to-severe frontal impact. Outboard rear seats have the LATCH (Lower Anchors and Tethers for Children) child-restraint system.

hard braking. Also standard is Brake Assist, which helps apply full braking in some emergency situations, and Electronic Brake Distribution (EBD), which helps braking performance by distributing brake force among the four wheels based on how much load each wheel is bearing.



Every Accord comes standard with front, front side and side curtain airbags to help prevent injuries in a collision.* The dual-chamber front side airbags are a new, larger design. The front passenger's side airbag uses the Occupant Position Detection System (OPDS) to prevent deployment if a small-statured passenger is out of position and in the airbag's path of deployment.

*Honda reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.





Honda's formidable ability to invent the future can be experienced on the land, in the water and, now, above the clouds. Our HondaJet™ is an ideal showcase for our core approach to design, maximizing performance as well as comfort while minimizing the surrounding machine.



Honda's legacy of environmental leadership includes world-changing advances in fuel economy and low-emission and hybrid technology. Our latest contributions include the natural gas-powered Civic GX, the world's cleanest internal-combustion vehicle,' and the next-generation FCX hydrogen fuel cell car, which is set for production in 2008.



Looking beyond government regulations, Honda studies real-world situations to develop new safety technology. Our cutting-edge engineering and testing facilities in Japan and America help us develop the next generation of safety features—all focused on evolving our Safety for Everyone concept.



















Royal Blue Pearl

No matter what interior trim you choose, you can be sure of one thing: legendary Honda quality. From the materials chosen to the meticulous craftsmanship employed, the inside of the new Accord is designed to retain its new-car look and feel for years to come. As for the outside, the 11 exterior colors are all corrosion-

resistant and have been given a tough, durable finish to help

preserve your Accord's sleek, glossy appearance.







Taffeta White

BUILT AROUND LASTING VALUES. SUCH AS LASTING.





Belize Blue Pearl



Mystic Green Metallic

| Exterior/Interior | ACCORD SEDAN | | | | | ACCORD COUPE | | |
|---------------------------|---------------|----------------|------------------------|----------------|------------------------|----------------|----------------|------------------------|
| Colors | LX/LX Premium | EX | EX-L | EX V-6 | EX-L V-6 | LX Sport | EX | EX-L/EX-L V-6 |
| Alabaster Silver Metallic | Black or Gray | Black or Gray | Black or Gray Leather | Black or Gray | Black or Gray Leather | Black | Black | Black Leather |
| Basque Red Pearl | lvory | lvory | Ivory Leather | lvory | Ivory Leather | | | |
| Belize Blue Pearl | | | | | | Black or Ivory | Black or Ivory | Black or Ivory Leather |
| Bold Beige Metallic | lvory | lvory | Ivory Leather | lvory | Ivory Leather | | | |
| Mystic Green Metallic | | Black | Black Leather | Black | Black Leather | | | |
| Nighthawk Black Pearl | lvory | Black or Ivory | Black or Ivory Leather | Black or Ivory | Black or Ivory Leather | Black | Black | Black Leather |
| Polished Metal Metallic | Black or Gray | Black or Gray | Black or Gray Leather | Black or Gray | Black or Gray Leather | Black or Ivory | Black or Ivory | Black or Ivory Leather |
| Royal Blue Pearl | Gray | Gray | Gray Leather | Gray | Gray Leather | | | |
| San Marino Red | | | | | | Black or Ivory | Black or Ivory | Black or Ivory Leather |
| Taffeta White | lvory | lvory | Ivory Leather | | | lvory | lvory | Ivory Leather |
| White Diamond Pearl | | | | Ivorv | Ivory Leather | | | |

| | ACCORD SEDAN | | | ACCORD COUPE | | |
|---|--|---|---|--|---|--|
| Englanding | LX/LX-P | EX/EX-L | EX V-6/EX-L V-6 | LX-S/EX/EX-L | EX- L V-6 | |
| Engineering | | | | | | |
| Engine Type | In-Line 4-Cylinder | In-Line 4-Cylinder | V-6 | In-Line 4-Cylinder | V-6 | |
| Engine Block/Cylinder Head Displacement (cc) | Aluminum-Alloy 2354 | Aluminum-Alloy 2354 | Aluminum-Alloy 3471 | Aluminum-Alloy 2354 | Aluminum-Alloy 3471 | |
| Horsepower @ rpm (SAE net) | 177 @ 6500 | 190 @ 7000 | 268 @ 6200 | 190 @ 7000 | 268 @ 6200 | |
| | 161 @ 4300 | 162 @ 4400 | 248 @ 5000 | 162 @ 4400 | 248 @ 5000 | |
| Torque (lbft. @ rpm) Redline | 6800 | 7100 | 6800 | 7100 | 6800 | |
| Bore and Stroke (mm) | 87 x 99 | 87 x 99 | 89 x 93 | 87 x 99 | 89 x 93 | |
| Compression Ratio | 10.5:1 | 10.5:1 | 10.5:1 | 10.5:1 | 10.5 : 1 (5AT)/10.0 : 1 (6MT) | |
| Valve Train | 16-Valve DOHC i-VTEC® | 16-Valve DOHC i-VTEC | 24-Valve SOHC i-VTEC | 16-Valve DOHC i-VTEC | 24-Valve SOHC i-VTEC (5AT) 24-Valve SOHC VTEC® (6MT) | |
| High-Performance Intake Manifold | | | | | 6MT | |
| Drive-by-Wire™ Throttle System | • | • | • | • | • | |
| Variable Cylinder Management™ (VCM®) | | | • | | 5AT | |
| Active Noise Cancellation™ (ANC) | | • | • | • | 5AT | |
| CARB Emissions Rating | ULEV-2 [†] /PZEV** | ULEV-2†/PZEV** | ULEV-2†/PZEV** | ULEV-2†/PZEV** | ULEV-2†/PZEV** | |
| Direct Ignition System with Immobilizer | • | • | • | • | • | |
| 100K +/- Miles No Scheduled Tune-Ups* | • | • | • | • | • | |
| Transmissions | | | | | | |
| 5-Speed Manual Transmission Gear Ratios: 1st: 3.267, 2nd: 1.778, 3rd: 1.154, 4th: 0.870, 5th: 0.647, Reverse: 3.583, Final Drive Ratio: 4.39 | • | • | | | | |
| Close-Ratio 6-Speed Manual Transmission (available) Gear Ratios: 1st: 3.933, 2nd: 2.478, 3rd: 1.700, 4th: 1.250, 5th: 0.976, 6th: 0.771, Reverse: 4.008, Final Drive Ratio: 3.55 | | | | | • | |
| 5-Speed Automatic Transmission (available) Gear Ratios: 1st: 2.652, 2nd: 1.614, 1.517 (LX/LX-P), 3rd: 1.082, 1.037 (LX/LX-P), 4th: 0.773, 0.738 (LX/LX-P), 5th: 0.566, Reverse: 2.000, Final Drive Ratio: 4.44 | • | • | | • | | |
| 5-Speed Automatic Transmission Gear Ratios: 1st: 2.697, 2nd: 1.606, 3rd: 1.071, 4th: 0.766, 5th: 0.612, Reverse: 1.889, Final Drive Ratio: 4.31 | | | • | | • | |
| Body/Suspension/Chassis | | | | | | |
| Unit-Body Construction | • | • | • | • | • | |
| Double Wishbone Front Suspension | • | • | • | • | • | |
| Independent Multi-Link Rear Suspension | • | • | • | • | • | |
| Stabilizer Bar (mm, front/rear) | 26.5/13.0 | 26.5/13.0 | 26.5/14.0 | 26.5/15.0 | 27.2/15.0 | |
| Front Shock Tower Bar | | • | • | • | • | |
| Variable Gear Ratio (VGR) Power-Assisted Rack-and-Pinion Steering | • | • | • | • | • | |
| Steering Wheel Turns, Lock-to-Lock | 2.56 | 2.56 | 2.56 | 2.56 | 2.48 | |
| Turning Diameter, Curb-to-Curb (ft.) | 37.7 | 37.7 | 37.7 | 36.4 | 37.8 | |
| Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in.) | 11.1/11.1 | 11.8/11.1 | 11.8/11.1 | 11.1/11.1 (LX-S), 11.8/11.1 (EX/EX-L) | 11.8/11.1 | |
| Wheels | 16" with Full Covers (LX) 16" Alloy (LX-P) | 17" Alloy | 17" Alloy | 17" Alloy | 18" Alloy | |
| All-Season Tires | P215/60 R16 94H | P225/50 R17 93V | P225/50 R17 93V | P225/50 R17 93V | P235/45 R18 94V | |
| Exterior Measurements | | | | | | |
| Wheelbase (in.) | 110.2 | 110.2 | 110.2 | 107.9 | 107.9 | |
| | | | | | 190.9 | |
| Length (in.) | 194.1 | 194.1 | 194.3 | 190.9 | | |
| Height (in.) | 194.1 58.1 | 58.1 | 58.1 | 56.4 | 56.4 | |
| Height (in.) Width (in.) | 194.1 58.1 72.7 | 58.1 72.7 | 58.1 72.7 | 56.4 72.8 | 56.4 72.8 | |
| Height (in.) | 194.1 58.1 | 58.1 | 58.1 | 56.4 | 56.4 | |
| Height (in.) Width (in.) | 194.1 58.1 72.7 | 58.1 72.7 | 58.1 72.7 | 56.4 72.8 | 56.4 72.8 | |
| Height (in.) Width (in.) Track (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) | 58.1 72.7 62.2/62.2 3349/3408 (EX) | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) | 56.4 72.8 62.2/62.3 NA/3569 (5AT) | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) | 58.1 72.7 62.2/62.2 3349/3408 (EX) | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) | 56.4 72.8 62.2/62.3 NA/3569 (5AT) | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) | 58.1 72.7 62.2/62.2 3349/3408 (EX) | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) | 56.4 72.8 62.2/62.3 NA/3569 (5AT) | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) | 58.1 72.7 62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) 39.1/35.9 (LX-S) | 56.4 72.8 62.2/62.3 NA/3569 (5AT) 3446/NA (6MT) | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Headroom with Moonroof (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) | 58.1 72.7 62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) 39.1/35.9 (LX-S) 37.4/35.1 (EX/EX-L) | 56.4 72.8 62.2/62.3 NA/3569 (5AT) 3446/NA (6MT) | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Headroom with Moonroof (in., front/rear) Legroom (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 | 58.1 72.7 62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) 391/35.9 (LX-S) 374/35.1 (EX/EX-L) 42.2/33.1 | 56.4 72.8 62.2/62.3 NA/3569 (5AT) 3446/NA (6MT) 37.4/35.1 42.2/33.1 | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Headroom with Monroof (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 42.5/37.2 58.2/56.4 | 58.1 72.7 62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 58.2/56.4 | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 58.2/56.4 | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) 39.1/35.9 (LX-S) 37.4/35.1 (EX/EX-L) 42.2/33.1 58.4/54.5 | 56.4 72.8 62.2/62.3 NA/3569 (5AT) 3446/NA (6MT) 37.4/35.1 42.2/33.1 58.4/54.5 | |
| Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Headroom with Moonroof (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) | 194.1 58.1 72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 42.5/37.2 58.2/56.4 56.6/54.3 | 58.1 72.7 62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 58.2/56.4 56.6/54.3 | 58.1 72.7 62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 58.2/56.4 56.6/54.3 | 56.4 72.8 62.2/62.2 3221/3283 (LX-S) 3278/3338 (EX) 3307/3366 (EX-L) 39.1/35.9 (LX-S) 37.4/35.1 (EX/EX-L) 42.2/33.1 58.4/54.5 56.4/46.3 | 56.4 72.8 62.2/62.3 NA/3569 (5AT) 3446/NA (6MT) 37.4/35.1 42.2/33.1 58.4/54.5 56.4/46.3 | |

^{*}Does not apply to fluid and filter changes. May vary with driving conditions. See your owner's manual for more details. †MT models are ULEV-2-rated in all 50 states. **AT models are PZEV-rated in California and certain Northeastern states.

| | ACCORD SEDAN | | | ACCORD COUPE | | |
|---|--|-------------------------|-----------------------------|-------------------------|------------------|--|
| FDA BELL F-sim-st2/O-m-sisi | LX/LX-P | EX/EX-L | EX V C/EX I V C | LX-S/EX/EX-L | | |
| EPA Mileage Estimates ² /Capacities | | | EX V-6/EX-L V-6 | | EX- L V-6 | |
| 5-Speed Manual (City/Highway) | 22/31 | 22/31 | | 22/31 | 17/05 | |
| 6-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) | 21/31 | 21/31 | 19/29 | 21/30 | 17/25 19/28 | |
| Crankcase (gt.) | 5.6 | 5.6 | 5.3 | 5.6 | 5.3 | |
| Coolant System (qt, MT/AT) | 8.6/8.5 | 8.6/8.5 | NA/9.1 | 8.6/8.5 | NA/9.1 | |
| Fuel (gal.) | 18.5 | 18.5 | 18.5 | 18.5 | 18.5 | |
| Required Fuel | Regular Unleaded | Regular Unleaded | Regular Unleaded | Regular Unleaded | Regular Unleaded | |
| Safety | negalar emedded | riegulai Omeauca | negalar emedaea | riogulai cinicadea | negalar omeaaca | |
| 3-Point Seat Belts at all Seating Positions | • | • | • | • | • | |
| Front 3-Point Seat Belts with Automatic Tensioning System | • | • | • | • | • | |
| Adjustable Front Seat Belt Anchors | • | • | • | | | |
| Driver's and Front Passenger's Seat Belt Reminder | • | • | • | • | • | |
| Dual-Stage, Dual-Threshold Front Airbags (SRS) | • | • | • | • | • | |
| Dual-Chamber Front Side Airbags with Passenger-Side | • | • | • | • | • | |
| Occupant Position Detection System (OPDS) Side Curtain Airbags | • | • | • | • | • | |
| Driver's and Front Passenger's Active Head Restraints | • | • | • | • | • | |
| Advanced Compatibility Engineering™ (ACE™) Body Structure | • | • | • | • | • | |
| Vehicle Stability Assist™ (VSA®) with Traction Control | • | • | • | • | • | |
| Brake Assist | • | • | • | • | • | |
| Tire Pressure Monitoring System (TPMS) | • | • | • | • | • | |
| Anti-Lock Braking System (ABS) with Electronic Brake Distribution (EBD) | • | • | • | • | • | |
| Daytime Running Lights (DRL) | • | • | • | • | • | |
| Side-Impact Door Beams | • | • | • | • | • | |
| Outboard Lower Anchors and Tethers for Children (LATCH) | • | • | • | • | • | |
| Child-Seat Tether Anchor (rear-center) | • | • | • | • | • | |
| Child-Proof Rear Door Locks | • | • | • | | | |
| Emergency Trunk Opener | • | • | • | • | • | |
| Exterior Features | | | | | | |
| One-Touch Power Moonroof with Tilt Feature | | • | • | EX/EX-L | • | |
| Integrated Rear Window Antenna | • ************************************ | • | • | • | 401 | |
| Alloy Wheels | 16" (LX-P) | 17" | 17" | 17" | 18" | |
| Security System | LX-P | • | • | • | • | |
| Remote Entry System with Power Window Control Variable Intermittent Windshield Wipers | • | • | • | • | • | |
| Multi-Reflector Halogen Headlights with Auto-Off | • | with Auto-On/Off (EX-L) | with Auto-On/Off (EX-L V-6) | • | ` | |
| Projector-Beam Halogen Headlights with Auto-Off | | With Auto-on/on (EX-E) | With Auto-on/on (EX-L V-0) | with Auto-On/Off (EX-L) | with Auto-On/Off | |
| Hood Struts | | | • | With Auto-on, on (EX-L) | • | |
| Body-Colored Rear Decklid Spoiler | | | | | • | |
| Fog Lights | | | • | | • | |
| Body-Colored Door Handles | • | • | Chrome | • | Chrome | |
| Body-Colored Power Side Mirrors | • | Heated | Heated | Heated (EX/EX-L) | Heated | |
| Chrome Exhaust Finisher | LX-P | • | Dual Exhaust | • | Dual Exhaust | |
| Chrome Window Trim | • | • | • | • | • | |
| Comfort & Convenience | | | | | | |
| Air Conditioning with Air-Filtration System | • | EX | EX V-6 | LX-S/EX | | |
| Dual-Zone Automatic Climate Control System | | EX-L | EX-L V-6 | EX-L | • | |
| Honda Satellite-Linked Navigation System™ with Voice Recognition ³ | | Available (EX-L) | Available (EX-L V-6) | Available (EX-L) | Available | |
| Bluetooth®5 HandsFreeLink® | | with Navigation | with Navigation | with Navigation | with Navigation | |
| Interface Dial with Scrolling and Multi-Line Display | | • | • | • | <u> </u> | |
| Power Windows with Auto-Up/Down Driver's and Front Passenger's Windows | LX-P | • | • | EX/EX-L | <u> </u> | |
| Illuminated Power Window Switches | LX-P | • | • | EX/EX-L | • | |
| Power Door Locks/Programmable Auto-Locking Doors Cruise Control | • | • | • | • | • | |
| Cruise Control Leather-Wrapped Steering Wheel | • | EX-L | EX-L V-6 | EX-L | <u>.</u> | |
| Leather-Wrapped Shift Knob | | EX-L 5MT | LA-L V-0 | EX-L 5MT | 6MT | |
| Illuminated Steering Wheel-Mounted Audio and Cruise Controls | • | • EX-L SIVI I | • | • • | • | |
| Steering Wheel-Mounted Navigation and Phone Controls | | with Navigation | with Navigation | with Navigation | with Navigation | |
| Tilt and Telescopic Steering Column | • | • | • | • | • | |
| HomeLink® Remote System® | | | EX-L V-6 | | • | |
| Premium Interior Accents | | • | • | EX/EX-L | • | |
| | | | | | | |

| | ACCORD SEDAN | | ACCORD COUPE | | |
|--|----------------|-------------------------|-----------------------------|-------------------------|--------------------|
| Comfort & Convenience (continued) | LX/LX-P | EX/EX-L | EX V-6/EX-L V-6 | LX-S/EX/EX-L | EX- L V-6 |
| Center Console with Sliding Armrest and Storage Compartments | • | • | • | • | • |
| Beverage Holders, Front and Rear | • | • | • | • | • |
| Driver's and Front Passenger's Illuminated Vanity Mirrors | • | • | • | • | • |
| Automatic Dimming Rearview Mirror | | EX-L | EX-L V-6 | | |
| Blue Ambient Console Lighting | | • | • | EX/EX-L | • |
| Map Lights | • | • | • | • | • |
| Sunglasses Holder | • | • | • | • | • |
| Coin Box | • | • | • | • | • |
| 12-Volt Power Outlets | • | • | • | • | • |
| Lockable Glove Compartment with Light | • | • | • | • | • |
| Driver- and Passenger-Side Seatback Pockets | • | • | • | • | • |
| Remote Fuel Filler Door Release | • | • | • | • | • |
| Remote Trunk Release with Lock | • | • | • | • | • |
| Electronic Remote Trunk Release | • | • | • | • | • |
| Rear Window Defroster | • | • | • | • | • |
| Cargo Area Light | • | • | • | • | • |
| Side Door Pockets | • | • | • | • | • |
| Seating | | | | | |
| Leather-Trimmed Seats | | EX-L | EX-L V-6 | EX-L | • |
| Heated Front Seats | | EX-L | EX-L V-6 | EX-L | • |
| Driver's Seat with 8-Way Power Adjustment | LX-P | • | • | EX-L | • |
| Driver's Seat with Power Lumbar Support | LA-I | • | • | EX-L | • |
| Driver's Seat with Manual Height Adjustment | LX | - | - | LX-S/EX | <u> </u> |
| Passenger's Seat with 4-Way Power Adjustment | LX | | EX-L V-6 | EX-5/EX | |
| Passenger-Side Walk-In Feature | | | EX-E V-0 | • | • |
| Fold-Down Rear Seatback | • | • | • | • | • |
| Fold-Down Rear-Seat Center Armrest/Trunk Pass-Through | • | • | • | | |
| Audio Systems | | | | | |
| 160-Watt AM/FM/CD Audio System with 6 Speakers | • | | | | |
| 160-Watt AM/FM/6-Disc In-Dash Audio System with 6 Speakers | • | EX | EX V-6 | LX-S | |
| 270-Watt AM/FM/6-Disc In-Dash Addio System 270-Watt AM/FM/6-Disc In-Dash Premium Audio System | | EX | EA V-0 | LA-3 | |
| with 7 Speakers, Including Subwoofer | | EX-L | EX-L V-6 | EX/EX-L | • |
| Radio Data System (RDS) | • | • | • | • | • |
| MP3/Windows Media® Audio (WMA) Playback Capability® | • | • | • | • | • |
| MP3/Auxiliary Input Jack | • | • | • | • | • |
| XM® Satellite Radio ⁶ | • | EX-L | EX-L V-6 | EX-L | • |
| Speed-Sensitive Volume Control (SVC) | • | • EA-L | • | • EA-L | • |
| • | | • | · | · | |
| Instrumentation Backlit Gauges | • | • | • | • | • |
| Tachometer | • | • | • | • | • |
| Digital Odometer and Digital Trip Meters (2) | • | • | • | • | • |
| Digital Udometer and Digital Trip Meters (2) Maintenance Minder™ System | • | • | • | • | • |
| | - • | EX-L without Navigation | | | |
| Compass Door- /Trunk-Open Indicator | | | EX-L V-6 without Navigation | EX-L without Navigation | without Navigation |
| Door- / Irunk-Upen Indicator Fuel and Coolant Temperature Indicators | • | • | • | • | • |
| | • | EX-L | EX-L V-6 | EX-L | • |
| Exterior Temperature Indicator Vehicle Stability Assist™ (VSA®)-On Indicator | • | EX-L | EX-L V-6 | EX-L | <u>.</u> |
| venicle Stability Assist** (VSA*)-UN INDICATOR | • | • | • | • | <u> </u> |

¹PZEV (Partial Zero-Emission Vehicle) V-6 5AT models, as certified by California Air Resources Board (CARB), are available in California and some Northeastern states. ²Based on 2008 EPA mileage estimates, which reflect the new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ³The Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on EX-Locate Subscription sold separately after 90-day trial period. Installation costs and other fees and taxes may apply after initial trial period, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Subscriptions sold separately after 90-day trial period. Installation costs and other fees and taxes may apply after initial trial period, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States. The XM name is a registered trademark of XM Satellite Radio Inc. ¹ FEA Tier-2, Bin-2 and ILEV certification as of May 2007. § HomeLink® a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls.™ § Windows Media® Audio is a trademark or registered trademark of Microsoft® Corporation in the United States and/or other countries. ¹ 9-Year/36,000-Mile Limited Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranty. S-Year/36,000-Mile Limited Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranty. Graffications, features, illustrations and e





Your dealer's team of trained technicians is at the ready to help keep your Honda in superb shape. All 2008 Honda vehicles – and any Honda Genuine Accessories installed at the time of purchase – are

covered by the 3-year/36,000-mile New-Vehicle Limited Warranty. Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too. For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.





Want your own look? Ask your dealer about Honda Genuine Accessories. They're designed, engineered and tested to meet the same exacting standards as your new vehicle—and a high-quality way to make your new Honda a reflection of your one-of-a-kind personality.



Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care* is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.