




R I D G E L I N E
2 0 0 9 H o n d a



Pickup trucks
have always been about
muscle,
backbone
and
testosterone...





...then Honda gave them a brain and made them a whole lot better.

Where is it written that big has to mean inefficient? Why is it acceptable for a pickup truck to treat passengers like cargo? Or make driving feel more like work than fun? Who says you have to stick to tradition instead of finding a better way to do things? Not Honda. When we developed the Ridgeline, our goal was to make a truck every bit as tough as it needs to be, but also to send it charging into new territory. And with this emphasis on innovation, you don't expect us to rest on our laurels. Upgrades for 2009 include greater engine output, bolder exterior styling such as 18" alloy wheels on RTL, and more high-tech features inside.

Ridgeline RTS shown in Bali Blue Pearl.

ENGINE				
3.5-Liter, 24-Valve, SOHC VTEC® V-6 Engine		High-Mounted Fresh-Air Intake		
250 hp @ 5700 rpm (SAE net)		Multi-Point Fuel Injection		
247 lb-ft @ 4300 rpm (SAE net)		Direct Ignition System with Immobilizer		
Bore and Stroke (mm): 89 x 93		ULEV-2 Emissions Rating (CARB)		
Compression Ratio: 10.0:1		100K +/- Miles No Scheduled Tune-Ups*		
Drive-by-Wire™ Throttle System				
DRIVETRAIN				
5-Speed Automatic Transmission		Variable Torque Management® 4-Wheel-Drive System (VTM-4®)		
Gear Ratios: 1st: 2.697, 2nd: 1.606, 3rd: 1.071, 4th: 0.766, 5th: 0.538, Reverse: 1.889, Final Drive: 4.533		Locking Rear Differential		
		Heavy-Duty Automatic-Transmission-Fluid Cooler		
TOWING				
Integrated Closed-Box Frame with Unit-Body Construction		Integrated Class III Trailer Hitch		
Fully Boxed High-Strength Steel (HSS) Frame Rails and Crossmembers with Internal Stiffeners		Pre-Wired for Trailer Brake Controller		
Heavy-Duty Radiator with Dual 160-Watt Fans		6050-lb Gross Vehicle Weight Rating (GVWR)		
Heavy-Duty Power-Steering-Fluid Cooler		10,085-lb Gross Combined Weight Rating (GCWR)		
Pre-Wired for Trailer Harness (RTS and RTL Include Trailer Harness)		5000-lb Towing Capacity¹		
		Total Payload Capacity (lbs): 1546 (RT/RTS), 1497 (RTL), 1486 (RTL w/Nav)		
BODY/SUSPENSION/CHASSIS				
Steering Ratio: 18.5:1		Stabilizer Bar (mm, front/rear): 23.0/25.4		
Steering Wheel Turns, Lock-to-Lock: 3.38		Steel-Reinforced Composite (SRC) Cargo Bed		
Turning Diameter, Curb-to-Curb (ft): 42.6		MacPherson Strut Front Suspension		
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in): 12.6/13.1		Multi-Link Rear Suspension with Trailing Arms		
Styled Steel Wheels (RT)/17" Alloy Wheels (RTS)/18" Alloy Wheels (RTL)		Variable Power-Assisted Rack-and-Pinion Steering		
17" P245/65 R17 105T (RT, RTS) P245/60 R18 104T (RTL) All-Season Tires				
SAFETY				
3-Point Seat Belts at All Seating Positions		Anti-Lock Braking System (ABS)		
Front 3-Point Seat Belts with Automatic Tensioning System		Electronic Brake Distribution (EBD)		
Adjustable Front Seat-Belt Anchors		Vehicle Stability Assist™ (VSA®) with Traction Control		
Dual-Stage, Dual-Threshold Front Airbags (SRS)		Brake Assist		
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)		Tire Pressure Monitoring System² (TPMS)		
Side Curtain Airbags with Rollover Sensor		Lower Anchors and Tethers for Children (LATCH)		
Driver's and Front Passenger's Active Head Restraints		Child-Proof Rear Door Locks		
Side-Impact Door Beams		Daytime Running Lights (DRL)		
EXTERIOR MEASUREMENTS		RT	RTS	RTL
Wheelbase (in)	122.0	122.0	122.0	122.0
Length (in)	207.0	207.0	207.0	207.0
Height (in)	70.3	70.3	70.3	71.2
Width (in)	77.8	77.8	77.8	77.8
Track (in, front/rear)	67.1/66.9	67.1/66.9	67.1/66.9	67.1/66.9
Minimum Ground Clearance (in)	8.2	8.2	8.2	8.2
Approach/Departure Angles (degrees)	24.5/22.0	24.5/22.0	24.5/22.0	24.5/22.0
Cargo Bed Length (in, tailgate up/down)	60.0/79.0	60.0/79.0	60.0/79.0	60.0/79.0
Cargo Bed Width (in, between wheelwells)	49.5	49.5	49.5	49.5
Heavy-Duty Tie-Down Cleats (8) Capacity (lbs per cleat)	350	350	350	350
In-Bed Trunk® Capacity (cu ft)	8.5	8.5	8.5	8.5
Curb Weight (lbs)	4504	4504	4504	4553/4564 with Navigation
Weight Distribution (% , front/rear)	58/42	58/42	58/42	58/42
INTERIOR MEASUREMENTS				
Headroom (in, front/rear)	40.7/39.1	40.7/39.1		
Headroom with Moonroof (in, front/rear)				38.7/39.0
Legroom (in, front/rear)	40.8/36.4	40.8/36.4		40.8/36.4
Shoulder Room (in, front/rear)	63.2/62.6	63.2/62.6		63.2/62.6
Hiproom (in, front/rear)	57.6/57.2	57.6/57.2		57.6/57.2
Passenger Volume (cu ft)	112.0	112.0		108.9
2nd-Row Under-Seat Storage (cu ft)	2.6	2.6		2.6
Seating Capacity	5	5		5
EPA MILEAGE ESTIMATES³/CAPACITIES				
5-Speed Automatic (City/Highway/Combined)	15/20/17	15/20/17		15/20/17
Crankcase (qt)	5.3	5.3		5.3
Coolant System (qt)	8.5	8.5		8.5
Fuel (gal)	22.0	22.0		22.0
Required Fuel¹	Regular Unleaded	Regular Unleaded		Regular Unleaded

EXTERIOR FEATURES	RT	RTS	RTL
Power Moonroof			•
Dual-Action Tailgate	•	•	•
In-Bed Trunk	•	•	•
Variable Intermittent Windshield Wipers with Automatic Heated Wiper Zone	•	•	•
Remote Entry System	•	•	•
Security System		•	•
Privacy Glass		•	•
Heat-Rejecting Green-Tinted Glass	•	•	•
Body-Colored Door Handles	Black	•	•
Folding Power Side Mirrors	•	Body-Colored	Body-Colored/Heated
Integrated Bed Lights (4) with Auto-Off Timer	•	•	•
Heavy-Duty Tow Hooks (<i>front and rear</i>)	•	•	•
Multi-Reflector Halogen Headlights with Auto-Off	•	•	•
Fog Lights			•
COMFORT & CONVENIENCE			
Air Conditioning with Air-Filtration System	•		
Dual-Zone Automatic Climate Control with Air-Filtration System		•	•
Honda Satellite-Linked Navigation System™⁴ with Voice Recognition and Rearview Camera			Available
Bluetooth®¹ HandsFreeLink®			with Navigation
Power Windows with Auto-Up/Down Driver's Window	•	•	•
Power Sliding Rear Cabin Window	•	•	•
Power Door Locks	•	•	•
Steering Wheel-Mounted Controls	Cruise	Cruise/Audio	Cruise/Audio
Steering Wheel-Mounted Navigation and Phone Controls			with Navigation
Cruise Control	•	•	•
Leather-Wrapped Steering Wheel			•
Adjustable Steering Column	•	•	•
Multifunctional Center Storage Console with Sliding Armrest	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•
HomeLink® Remote System⁵			•
Ambient Console Lighting			•
Map Lights	•	•	•
Sunglasses Holder	•	•	•
Rearview Mirror with Compass			without Navigation
Beverage Holders (2 <i>front</i> , 4 <i>rear</i>)	•	•	•
12-Volt Power Outlets (2 <i>front</i> , 1 <i>rear</i>)	•	•	•
115-Volt Power Outlet (<i>center console</i>)			•
Door-Pocket Storage Bins	•	•	•
Grab Rails (<i>front and rear</i>)	•	•	•
Rear Console Vents	•	•	•
All-Weather Heavy-Duty Floor Mats		•	
Carpet Floor Mats			•
SEATING			
Leather-Trimmed Interior			•
Heated Front Seats			•
Driver's Seat Adjustment	6-Way Manual	8-Way Power	8-Way Power
Driver's Seat with Power Lumbar Support		•	•
60/40 Lift-Up Rear Seat with Under-Seat Storage	•	•	•
Head Restraints at All Seating Positions	•	•	•
AUDIO SYSTEMS			
100-Watt AM/FM/CD Audio System with 6 Speakers	•		
160-Watt AM/FM/6-Disc In-Dash CD Audio System with 7 Speakers, Including Subwoofer		•	•
MP3/Windows Media® Audio⁶ (WMA) Playback Capability	•	•	•
XM® Radio⁶			•
MP3/Auxiliary Input Jack		•	•

*Does not apply to fluid and filter changes. May vary with driving conditions. Please see your owner's manual for more details.



Want your own look? Ask your dealer about Honda Genuine Accessories. These include running boards, side steps, roof rack, bed extender and tonneau cover. They're designed, engineered and tested to meet the same exacting standards as your new vehicle—a high-quality way to make your new Honda one of a kind.




Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2009 Honda vehicles—and any Honda Genuine Accessories installed at the time of purchase—are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.⁹ Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too.⁹ For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA Financial Services

Whether you buy or lease a Honda vehicle, **Honda Financial Services** can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.

HONDA Care

Honda Care[®] is a highly affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your dealer for all the details.



Visit us at automobiles.honda.com

Get the latest photos, MSRPs, specs and more. You can "build" your own Honda, accessorize it—even ask for a dealer price quote, apply for financing and check dealer inventories online.

¹ Towing requires the addition of the Honda accessory towing kit and hitch ball. Trailer harness standard on RTS and RTL models. Premium unleaded fuel recommended when towing. Refer to the owner's manual for additional towing information. ² For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. See your owner's manual for details. ³ Based on 2009 EPA mileage estimates, reflecting new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ⁴ The Honda Satellite-Linked Navigation System is available on RTL models in the United States, except Alaska. See your Honda dealer for details. ⁵ The Bluetooth[®] word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. ⁶ HomeLink[®] is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls. ⁷ Windows Media[®] is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries. ⁸ Required XM[®] Radio monthly subscription sold separately after 90-day trial period. Installation costs and other fees and taxes may apply after initial trial period, including a one-time activation fee. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States. The XM name is a registered trademark of XM Satellite Radio Inc. ⁹ **3-Year/36,000-Mile Limited Warranty, 5-Year/60,000-Mile Limited Powertrain Warranty.** Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranties. ¹⁰ Kelley Blue Book's kbb.com awarded Honda three Best Resale Value Awards for the 2008 Civic, the 2008 Civic Hybrid and the 2008 Odyssey. www.kbb.com/bvva08. Vehicle's projected resale value is specific to the 2008 model year. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc. ¹¹ Based on 2008 model-year study. IntelliChoice[®] Inc. www.intellichoice.com. ¹² *Automotive Lease Guide*, 2008 Industry Brand Residual Value Award. **Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat.** Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, Drive-by-Wire, HandsFreeLink, In-Bed Trunk, Variable Torque Management, VT-M4 and VT-M4 Lock, Vehicle Stability Assist, VSA and VTEC are trademarks of Honda Motor Co., Ltd. © 2008 American Honda Motor Co., Inc.

Over 25 years ago Honda began assembling cars in the United States. Today, almost 4 out of 5 Hondas sold in the U.S. are assembled in North America. Many are developed here, too. And every Honda is a smart value thanks to timeless design, great reliability and extended maintenance intervals. Check out our Best Resale Value Awards¹⁰ from *Kelley Blue Book's* kbb.com, Best Overall Value Awards from IntelliChoice^{®11} and—for the 5th year in a row—*Automotive Lease Guide's* prestigious Industry Brand Residual Value Award.¹²

