

PILOT





ENGINEERING	LX	EX/EX-L	TOURING
Engine Type	V-6	V-6	V-6
Engine Block/Cylinder Head	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy
Displacement (cc)	3471	3471	3471
Horsepower @ rpm (SAE net)	250 @ 5700	250 @ 5700	250 @ 5700
Torque (lb-ft@rpm)	253 @ 4800	253 @ 4800	253 @ 4800
Valve Train	24-Valve SOHC i-VTEC®	24-Valve SOHC i-VTEC	24-Valve SOHC i-VTEC
Drive-by-Wire™ Throttle System	•	•	•
Variable Cylinder Management™ (VCM®)	•	•	•
Active Control Engine Mount System (ACM)	•	•	•
Active Control Engine Mount System (ACM) Active Noise Cancellation™ (ANC)	•	•	•
Hill Start Assist	•	•	•
Variable Torque Management® 4-Wheel Drive System (VTM-4®)	<u> </u>	Available	Available
High-Mounted Fresh-Air Intake	Available •	Available	Available
CARB Emissions Rating ¹	ULEV-2	ULEV-2	
	• ULE V-Z	ULEV-Z ◆	ULEV-2
Direct Ignition System with Immobilizer	•	•	•
Heavy-Duty Radiator with 160-Watt Fans (2)			
Heavy-Duty Power-Steering Fluid Cooler	•	•	•
100K +/- Miles No Scheduled Tune-Ups*	•	•	•
TRANSMISSION			
5-Speed Automatic Transmission	•	•	•
Heavy-Duty Automatic-Transmission Fluid Cooler	•	•	•
BODY/SUSPENSION/CHASSIS			
Unit-Body Construction	•	•	•
MacPherson Strut Front Suspension	•	•	•
Multi-Link Rear Suspension with Trailing Arms	•	•	•
Stabilizer Bar (mm, front/rear)	23.0/26.5	23.0/26.5	23.0/26.5
Variable Power-Assisted Rack-and-Pinion Steering	•	•	•
Turning Diameter, Curb-to-Curb (ft)	38.6	38.6	38.6
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in)	13.0/13.1	13.0/13.1	13.0/13.1
Wheels	17" Steel	17" Alloy	17" Alloy
All-Season Tires	P245/65/R17 105T	P245/65/R17 105T	P245/65/R17 105T
	1 2 10/00/1117 1001	1 2 10/00/1117 1001	1 2 10/00/1111 1001
H-MARI-DITATO MILATO HIDI-MILANE (S. 1997)			
EXTERIOR MEASUREMENTS	100.2	100.2	100.2
Wheelbase (in)	109.2	109.2	109.2
Wheelbase (in) Length (in)	190.9	190.9	190.9
Wheelbase (in) Length (in) Height (in)	190.9 71.0	190.9 72.7	190.9 72.7
Wheelbase (in) Length (in) Height (in) Width (in)	190.9 71.0 78.5	190.9 72.7 78.5	190.9 72.7 78.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear)	190.9 71.0 78.5 67.7/67.5	190.9 72.7 78.5 67.7/67.5	190.9 72.7 78.5 67.7/67.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen)	190.9 71.0 78.5 67.7/67.5 8.0	190.9 72.7 78.5 67.7/67.5 8.0	190.9 72.7 78.5 67.7/67.5 8.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear)	190.9 71.0 78.5 67.7/67.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen)	190.9 71.0 78.5 67.7/67.5 8.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES)	190.9 72.7 78.5 67.7/67.5 8.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L) /39.8/38.2	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Hiproom (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row) Cargo Volume³ (cu ft, behind 1st-row)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row) Cargo Volume³ (cu ft, behind 1st-row) Passenger Volume (cu ft)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L)	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES⁴/CAPACITIES	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L) /39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row) Cargo Volume³ (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES⁴/CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES¹(CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined) 5-Speed Automatic (4WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8
Wheelbase (in) Length (in) Height (in) Width (in) Track (in, front/rear) Ground Clearance (in, unladen) Approach/Departure Angles (degrees) Curb Weight (lbs, 2WD/4WD) Weight Distribution (%, front/rear) 2WD (4WD) Towing Capacity² (lbs, 2WD/4WD) INTERIOR MEASUREMENTS Headroom (in, front/middle/rear) Legroom (in, front/middle/rear) Shoulder Room (in, front/middle/rear) Hiproom (in, front/middle/rear) Cargo Volume³ (cu ft, behind 3rd-row) Cargo Volume³ (cu ft, behind 2nd-row) Cargo Volume³ (cu ft, behind 1st-row) Passenger Volume (cu ft) Seating Capacity EPA MILEAGE ESTIMATES⁴/CAPACITIES 5-Speed Automatic (2WD; City/Highway/Combined)	190.9 71.0 78.5 67.7/67.5 8.0 27.8/24.5 4319/4506 56/44 (55/45) 3500/4500 40.0/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navigation) 56/44 (55/45) 3500/4500 40.0 (39.3, EX-L)/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 153.7/152.7 (EX-L) 8	190.9 72.7 78.5 67.7/67.5 8.0 27.8/24.5 4425/4608 56/44 (54/46) 3500/4500 39.3/39.8/38.2 41.4/38.5/32.1 61.5/62.2/58.9 58.6/56.9/48.4 18.0 47.7 87.0 152.7 8

^{*}Does not apply to fluid and filter changes. Will vary with driving conditions. Please see your Honda dealer for details.

SAFETY	LX	EX/EX-L	TOURING
3-Point Seat Belts at All Seating Positions	•	•	·
		•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•		
Driver's and Front Passenger's Seat Belt Reminder	•	•	•
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	•	•	•
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	•	•	•
Three-Row Side Curtain Airbags with Rollover Sensor	•	•	•
Driver's and Front Passenger's Active Head Restraints	•	•	•
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control	•	•	•
Anti-Lock Braking System (ABS)	•	•	•
Electronic Brake Distribution (EBD)	•	•	•
Brake Assist	•	•	•
Tire Pressure Monitoring System ^s (TPMS)	•	•	with Location and Pressure Indicators
Daytime Running Lights (DRL)	•	•	•
Side-Impact Door Beams	•	•	•
Lower Anchors and Tethers for CHildren (LATCH):			
Lower Anchors (2nd-row all, 3rd-row passenger-side)	•	•	•
Tether Anchors (2nd-row all, 3rd-row all)			
Child-Proof Rear Door Locks	•	•	•
SEATING			
Driver's Seat with 10-Way Power Adjustment, Including Power Lumbar Support		•	with Memory
Passenger's Seat with 4-Way Power Adjustment		EX-L	• With Memory
Leather-Trimmed Interior		EX-L	•
Heated Front Seats		EX-L	•
60/40 Split, Flat-Folding, Sliding and Reclining 2nd-Row Bench Seat	•	•	•
60/40 Split, Flat-Folding 3rd-Row Bench Seat	•	•	•
Adjustable Seat Belt Anchors (front- and 2nd-row)	•	•	•
Head Restraints at All Seating Positions	•	•	•
AUDIO SYSTEMS			
AM/FM/CD Audio System with 7 Speakers, Including Subwoofer	•		
AM/FM/6-Disc In-Dash Audio System with 7 Speakers, Including Subwoofer		•	
512-Watt AM/FM/6-Disc In-Dash Premium Audio System with 10 Speakers, Including Subwoofer		EX-L with RES or Navigation	•
XM® Radio ⁶		•	•
Radio Data System (RDS)	•	•	•
MP3/Windows Media® Audio7 (WMA) Playback Capability	•	•	•
MP3/Auxiliary Input Jack	•	•	•
USB Audio Interface ⁸		EX-L with Navigation	•
Speed-Sensitive Volume Control (SVC)	•	•	•
INSTRUMENTATION			
Programmable Multi-Information Display			•
Maintenance Minder™ System	•	•	•
Digital Odometer and Digital Trip Meters (2)	•	•	•
Average Fuel Consumption Indicator	•	•	•
Instant Fuel Consumption Indicator	•	•	•
Miles-to-Empty Indicator	•	•	•
Exterior Temperature Indicator		•	•
Corner and Backup Sensor Indicator			•
Compass	•	•	•
EXTERIOR FEATURES	-	-	
		EV I	•
One-Touch Power Moonroof with Tilt Feature		EX-L	•
Tailgate with Lift-Up Glass Hatch Power Tailgate with Lift-Up Glass Hatch	•	•	
			•
Variable Intermittent Windshield Wipers	•	•	•
Intermittent Rear Window Wiper/Washer	•	•	•
Remote Entry	•	•	•
Security System		•	•
Body-Colored Power Side Mirrors	Black	Heated (4WD)	Heated (4WD) with Memory and Integrated Turn Indicators
Body-Colored Door Handles	Black	•	•
Heat-Rejecting Green-Tinted Glass	•	•	•

EXTERIOR FEATURES (continued)	LX	EX/EX-L	TOURING
Acoustic Windshield		EX-L	•
Rear Privacy Glass	•	•	•
Integrated Class III Trailer Hitch	•	•	•
Pre-Wired for Trailer Harness	•	•	Includes Trailer Harness
Roof Rails		•	•
Fog Lights		•	•
Body Side Molding	Black	Body-Colored	Chrome
Auto-On/Off Multi-Reflector Halogen Headlights	•	•	•
Body-Colored Parking Sensors (front/rear)			•
Chrome Exhaust Finishers		•	•
COMFORT & CONVENIENCE			
Front and Rear Air Conditioning with Air-Filtration System	•		
Tri-Zone Automatic Climate Control System with Humidity Control and Air-Filtration		•	•
Honda Satellite-Linked Navigation System™ with Voice Recognition,		A: 1-1-1- (EV 1.110	
Off-Road Tracking and Rearview Camera		Available (EX-L) ¹⁰	•
Bluetooth® 11 HandsFreeLink®		EX-L with Navigation	•
Interface Dial with Scrolling and Multi-Line Display		EX-L with Navigation	•
Honda DVD Rear Entertainment System		Available (EX-L)10	•
Power Windows with Auto-Up/Down Driver's and Passenger's Window	•	•	•
Power Door and Tailgate Locks	•	•	•
Cruise Control	•	•	•
Leather-Wrapped Steering Wheel		EX-L	•
HomeLink® Remote System ¹²		•	•
Illuminated Steering Wheel-Mounted Audio and Cruise Controls	Cruise Only	•	•
Steering Wheel-Mounted Navigation and Phone Controls		EX-L with Navigation	•
Multi-Functional Center Console Storage	•	•	•
Automatic Dimming Rearview Mirror		EX-L	•
Rearview Mirror with Rearview Camera Display		EX-L without Navigation	
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•
Conversation Mirror with Sunglasses Holder		EX-L	•
Tilt and Telescopic Steering Column	•	•	•
Beverage Holders (# per row: front/2nd/3rd)	2/6/4	2/6/4	2/6/4
12-Volt Power Outlets (front-, 2nd-row and cargo area)	•	•	•
115-Volt Power Outlet (center console)		EX-L with RES	•
Upper and Lower Seatback Pockets (front-row)	•	•	•
Map Lights (all rows)	•	•	•
Remote Fuel Filler Door Release	•	•	•
Integrated Sunshades (2nd-row)			•
Floor Mats	Front- and 2nd-Row	Front- and 2nd-Row	All Rows
Hidden Storage Well	•	•	•
Cargo Area Tie-Down Anchors (4 total)	•	•	•
Cargo Area Bag Hooks	•	•	•
Cargo Net			•

^{**}ILLEV-Z rated by the California Air Resources Board (CARB), **Maximum towing capacity for 4WD models is 4,500 lbs. Premium unleaded fuel is recommended when towing above 3,500 lbs. Maximum towing capacity for 2WD models is 3,500 lbs. Towing requires the addition of the Honda caccessory toward later for details. **3 Carrying too much cargo or improperly storing it can affect the handling, stability and operation of this vehicle. Before carrying any cargo, be sure to consult the owner's manual eager for details. **S M services require a subscription after 90-day trial period. Subscriptions governed by XM Customer Agreement available at xmradio.com. If you decide to continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM service at the end of your complimentary trial, the plan you choose at least 18 years of age in the 48 continue your XM services to continue your XM services to continue your XM services the end of your complimentary trial, the plan you choose the end of your complimentary trial, the plan you choose the end of your complimentary trial, the plan you choose the end of your complimentary trial, the plan you will be blinded then-current rates unless the plan your XM services the end of your complimentary trial, the plan your XM services the end of your complimentary trial, the plan your XM services the end of your complimentary tri

Kelley Blue Book's kbb.com has honored the Pilot with its 2010 Best Resale Value Award in the Full-Size Utility Vehicle category. This prestigious award is given to vehicles that are expected to have the best resale value after five years of ownership.¹³





GENUINE ACCESSORIES

Want your own look? Ask your dealer about Honda Genuine Accessories. Some accessories include running boards, crossbars, front and rear aluminum under trim and back-up sensors. They're designed, engineered and tested to meet the same exacting standards as your new vehicle—a high-quality way to make your new Honda one of a kind.





Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2011 Honda vehicles—and any Honda Genuine Accessories installed at the time of vehicle purchase—are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty. Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too. For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.



Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care* is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.



Visit us at automobiles.honda.com Get the latest photos, MSRPs, specs and more. You can "build" your own Honda, accessorize it—even ask for a dealer price quote, apply for financing and check dealer inventories online.